

INTRODUCING


The All-New Next Gen 18" Hydro Drive Sod Cutter!

**SOD
CUTTING
REDEFINED!**



Take the chore out of the chore with Billy Goat!

Rugged Reliability & Simple Operation Job after Job, Year after Year!



1. New Operator Controls and reinforced handle

2. New Frame

3. New Cut System

4. New Drive System

NEW SUPERSTRUCTURE FRAME FEATURES 50 ADDITIONAL POUNDS OF STEEL!

Features and Benefits



SET AND FORGET BLADE DEPTH ADJUSTMENT TO 2.5"
Single lever and clamp at user's operating position adjusts simply, saving time and providing precise cutting depths.



WELL VENTED HOUSING
Provides increased venting for cool operation and longer transmission life.



MULTIPLE OVERSIZED ISOLATION MOUNTS
Designed to absorb vibration so operator completes tasks quickly, comfortably and without fatigue.



HEAVY-DUTY BUMPER & TEAR-DROP TIE DOWNS
Machine transport is safe and easy with a heavy-duty front bumper bar and six tie-down points, front and rear positions.




CONVENIENT HOUR METER
Tracks hours of operation to help determine when to service the machine. Also ideal for rental stores to track machine hours of use when rented.



REAR SWIVEL CASTER
Perfect for curved work or making turns at the end of a pass. Locks for straight cutting.




EASY ACCESS SERVICE DOORS
Three service doors positioned at front and back of machine offer convenient access for servicing.



UNIQUE DRIVE WHEELS
Two separate wheels designed to shed mud in wet conditions and grip in dry for improved cutting in all conditions.



1 New operator controls offer same customer friendly, intuitive, variable speed, fingertip, hydro-drive controls as found on the reliable Billy Goat hydro-drive brush cutter and overseeder. Reinforced handle and heavier bar stock.



2 The new superstructure features a 50% thicker 3/8" steel substructure. A 1/2" thick steel lateral support reinforces frame rigidity. Fifty lbs. more steel for the ultimate in a smooth, stable, durable cutting.

3 The new cut system features a rugged cast iron gear box, spiral gears and thicker seals. Sealed bearings, 1" plated-lateral stability bar, larger aluminum dog bones, and tighter eccentric placement for outstanding strength and dependability when cutting.



4 Heavy-duty transmission drives 1.25" plated tapered axle with 2" sealed bearings coupled to a 1" jack shaft with armor coated chain for rugged drive reliability.

Machine Specifications

Model	Engine	Weight	Cutting Width	Cutting Depth	Length	Width	Height	Transmission
SC181H	163 cc Honda GXV160	395 lb. (179 Kg)	18" (45.7 cm)	Max 2.5" (6.35 cm)	60" (1,524 mm)	26.5" (673 mm)	38.5" (978 mm)	Hydro-Gear® RT310



Whether your job is Golf / Muni / Sports Turf / Landscaping / Flatwork / Hardscape / Irrigation etc., the Next Gen 18" Hydro-Drive Sod Cutter is easy to operate and comfortable to use with variable ground speeds – forward & reverse – and intuitive controls. This versatile machine is the perfect solution for all your sod cutting applications!



Golf



Hardscape, Flatwork



Sports Turf

Billy Goat Industries, Inc.

PO Box 308
Lees Summit, MO 64063
(800) 776-7690
www.billygoat.com

© 2016 Billy Goat Industries, Inc.
Specifications subject to change without notice.

POWERED by
HONDA™

Part# 373508

For more information or to find a dealer near you, visit www.billygoat.com